Amendments In the Claims

Please amend claims 1, 2, 4, 5, 8-12, 15-19, 22-24, 26, 29-33, 36, 37 and 39, as follows:

1. (Currently Amended) A method comprising:

obtaining a request to provide a requested service, wherein

the request conforms to a request format defined in a first language; [[, and]]

at least one device of a plurality of devices is configured to provide the service;

selecting identifying a first one device of the a plurality of devices at least one device to provide the requested service, wherein

each of the plurality of devices is configured to provide a corresponding service; and

converting the request to a second request, wherein

the second request conforms to <u>a request format defined in</u> a second language, and

the <u>first</u> one device is configured to provide the <u>requested</u> service in response to receiving the second request.

- 2. (Currently Amended) The method of claim 1 further comprising: directing the second request to the <u>first</u> one device.
- 3. (Original) The method of claim 2 wherein the first language is a markup language;

the second language is a device-specific language of a plurality of device-specific

languages, wherein

each of the plurality of devices communicates using one of the plurality of devicespecific languages.

4. (Currently Amended) The method of claim 2 wherein the request formats comprise[[s]]:

- 2 -

at least one instruction, and

data to be used when performing the at least one instruction.

a :

5. (Currently Amended) The method of claim 4 <u>further comprising:</u> wherein

specifying the request specifies use of a specific feature of the first a specific device of the plurality of devices, wherein by

said specifying use of a specify feature comprises specifying an optional variable[[,]] and providing a value for the optional variable, [[;]] and said the converting the request to the second request comprises

including the optional variable in the at least one instruction of the second request, and

including the value for the optional variable in the data of the second request, wherein the optional variable and the value specify use of the specific feature.

- 6. (Previously Presented) The method of claim 2 further comprising: sending a response to the request.
- 7. (Previously Presented) The method of claim 6 wherein the response conforms to a response format defined in the first language.
- 8. (Currently Amended) The method of claim 7 wherein the response format comprises:
 at least one instruction; and
 data to be used when performing the at least one instruction.
- 9. (Currently Amended) A system comprising:
 obtaining means for obtaining a request to provide a <u>requested</u> service, wherein the request conforms to a request format defined in a first language; [[, and]] at least one device of a plurality of devices is configured to provide the service;
- <u>selecting identifying</u> means for <u>selecting a first</u> identifying one device of the <u>a</u>
 <u>plurality of devices</u> at least one device to provide the <u>requested</u> service, <u>wherein</u>

each of the plurality of devices is configured to provide a corresponding service; and

converting means for converting the request to a second request, wherein

the second request conforms to <u>a request format defined in</u> a second language, and

the <u>first one</u> device is configured to provide the <u>requested</u> service in response to receiving the second request.

- 10. (Currently Amended) The system of claim 9 further comprising: directing means for directing the second request to the <u>first</u> one device.
- 11. (Currently Amended) The system of claim 10 wherein the request formats comprise[[s]]:
 at least one instruction, and
 data to be used when performing the at least one instruction.
- 12. (Currently Amended) The system of claim 11 further comprising: first including means for including an optional variable in the at least one instruction of the second request; [[,]] and second including means for including a value of the optional variable in the data of the second request, wherein the optional variable and the value specify use of a specific feature of the first a specific device of the plurality of devices.
- 13. (Original) The system of claim 10 further comprising: sending means for sending a response to the request.
- 14. (Original) The system of claim 13 wherein the response conforms to a response format defined in the first language.
- 15. (Currently Amended) The system of claim 14 wherein the response format comprises:
 at least one instruction; and
 data to be used when performing the at least one instruction.

- 4 -

Serial No.: 10/748,352

- 16. (Currently Amended) A computer-readable medium comprising: obtaining instructions to obtain a request to provide a <u>requested</u> service, wherein the request conforms to a request format defined in a first language; [[, and]] at least one device of a plurality of devices is configured to provide the service;
- <u>selecting identifying</u> instructions to <u>select a first identify one</u> device of <u>the a plurality</u>
 <u>of devices at least one device</u> to provide the <u>requested</u> service, <u>wherein</u>
 <u>each of the plurality of devices is configured to provide a corresponding</u>
 service; and
- defined in a second language, wherein
 the second request conforms to a second language, and
 the first one device is configured to provide the requested service in response to receiving the second request.
- 17. (Currently Amended) The computer-readable medium of claim 16 further comprising:
 directing instructions to direct the second request to the first one device.
- 18. (Currently Amended) The computer-readable medium of claim 17, wherein the request formats comprise[[s]]: at least one instruction, and data to be used when performing the at least one instruction.
- 19. (Currently Amended) The computer-readable medium of claim 18 further comprising:
- first including instructions to include an optional variable in the at least one instruction of the second request; [[,]] and
- second including instructions to include a value of the optional variable in the data of the second request, wherein
 - the optional variable and the value specify use of a specific feature of **the first a** specific device of the plurality of devices.

Serial No.: 10/748.352

- 20. (Original) The computer-readable medium of claim 17 further comprising: sending instructions for sending a response to the request.
- 21. (Original) The computer-readable medium of claim 20 wherein the response conforms to a response format defined in the first language.
- 22. (Currently Amended) The computer-readable medium of claim 21 wherein the response format comprises:
 at least one instruction; and
 data to be used when performing the at least one instruction.
- 23. (Currently Amended) A computer system comprising:
 a processor configured to execute for executing instructions; and
 a plurality of devices directly coupled to the computer system, wherein
 each device is configured to perform a corresponding service; and
 a memory, coupled to the processor, and configured to store for storing the instructions, wherein

the memory is coupled to the processor, and

the instructions comprise[[:]]

obtaining instructions to obtain a request to provide a service, wherein the request conforms to a request format defined in a first language, and

at least one device of <u>the</u> [[a]] plurality of devices provides the service;

identifying instructions to identify <u>a first</u> one device of the at least one device to provide the service; and

converting instructions to convert the request to a second request in a second language, wherein

the second request conforms to a <u>request format defined in a</u> second language, and

the <u>first</u> one device is configured to provide the service in response to receiving the second request.

- 6 -

Serial No.: 10/748,352

- 24. (Currently Amended) The computer system of claim 23 wherein the instructions further comprise:
 directing instructions to direct the second request to the <u>first one</u> device.
- 25. (Previously Presented) The computer system of claim 24 wherein the request format comprises at least one instruction, and data to be used when performing the at least one instruction.
- 26. (Currently Amended) The computer system of claim 25 wherein the instructions further comprise:

first including instructions to include an optional variable in the at least one instruction of the second request; [[,]] and

second including instructions to include a value of the optional variable in the data of the second request, wherein

the optional variable and the value specify use of a specific feature of the first a specific device of the plurality of devices.

- 27. (Original) The computer system of claim 24 wherein the instructions further comprise: sending instructions for sending a response to the request.
- 28. (Original) The computer system of claim 27 wherein the response conforms to a response format defined in the first language.
- 29. (Currently Amended) The computer system of claim 28 wherein the response format comprises:

at least one instruction; and data to be used when performing the at least one instruction.

30. (Currently Amended) A system comprising:

an obtaining module <u>configured</u> to obtain a request to provide a service, wherein
the request conforms to a request format defined in a first language, and
at least one device of a plurality of devices is configured to provide the service,
and

- 7 -

the plurality of devices is directly coupled to the system;

an identifying module <u>configured</u> to identify <u>a first</u> one device of the at least one device to provide the service; and

a converting module **configured** to convert the request to a second request in a second language, wherein

the second request conforms to a request format defined in a second language, and

the <u>first</u> one device is configured to provide the service in response to receiving the second request.

- 31. (Currently Amended) The system of claim 30 further comprising: a directing module to direct the second request to the <u>first</u> one device.
- 32. (Currently Amended) The system of claim 31 wherein the request formats comprise[[s]]: at least one instruction; [[,]] and data to be used when performing the at least one instruction.
- 33. (Currently Amended) The system of claim 32 further comprising:
 a first including module to include an optional variable in the at least one instruction of
 the second request; [[,]] and
 a second including module to include a value of the optional variable in the data of the
 second request, wherein
 the optional variable and the value specify use of a specific feature of the first a
 specific device of the plurality of devices.
- 34. (Original) The system of claim 31 further comprising: a sending module for sending a response to the request.
- 35. (Original) The system of claim 34 wherein the response conforms to a response format defined in the first language.
- 36. (Currently Amended) The system of claim 35 wherein the response format comprises:
 at least one instruction; and

Serial No.: 10/748.352

data to be used when performing the at least one instruction.

37. (**Currently Amended**) An application programming interface comprising:

a request definition for a first command to provide a request for a <u>requested</u> service, wherein

the request conforms to a request format defined in a first language, the request format is specified in the request definition,

at least one device of a plurality of devices are each is configured to provide a
 corresponding the service,

one device of the <u>plurality of devices</u> at least one device is <u>selected</u> identified to provide the <u>requested</u> service in response to the first command, the request is converted to a second request,

the second request conforms to <u>a request format defined in</u> a second language, and

the one device is configured to provide the <u>requested</u> service in response to receiving the second request.

- 38. (Original) The application programming interface of claim 37 further comprising:
 a response definition for a response format in which a response to the request is provided.
- 39. (Currently Amended) The application programming interface of claim 37 further comprising:

- 9 -

an initialization definition for a second command to initialize prior to providing the request for the **requested** service.

Serial No.: 10/748,352